



7. References Related to Specific Instruments to Measure Fatigue

Brief Fatigue Inventory (BFI)

- Mendoza, T. R., Wang, X. S., Cleeland, C. S., Morrissey, M., Johnson, B. A., Wendt, J. K., & Huber, S. L. (1999). The rapid assessment of fatigue severity in cancer patients: Use of the Brief Fatigue Inventory. *Cancer*, *85*, 1186–1196.
- Okuyama, T., Wang, X. S., Akechi, T., Mendoza, T. R., Hosaka, T., Cleeland, C. S., et al. (2003). Validation study of the Japanese version of the Brief Fatigue Inventory. *Journal of Pain and Symptom Management*, *25*, 106–117.
- Radbruch, L., Sabatowski, R., Elsner, F., Everts, J., Mendoza, T., & Cleeland, C. (2003). Validation of the German version of the Brief Fatigue Inventory. *Journal of Pain and Symptom Management*, *25*, 449–458.
- University of Texas M.D. Anderson Cancer Center. (2004). Brief Fatigue Inventory. Retrieved July 27, 2004, from [Brief Fatigue Inventory](#)

Cancer Fatigue Scale (CFS)

- Haghighat, S., Akbari, M. E., Holakouei, K., Rahimi, A., & Montazeri, A. (2003). Factors predicting fatigue in breast cancer patients. *Supportive Care in Cancer*, *11*, 533–538.
- Okuyama, T., Akechi, T., Kugaya, A., Okamura, H., Shima, Y., Maruguchi, M., et al. (2000). Development and validation of the Cancer Fatigue Scale: A brief, three-dimensional, self-rating scale for assessment of fatigue in cancer patients. *Journal of Pain and Symptom Management*, *19*, 5–14.
- Okuyama, T., Akechi, T., Kugaya, A., Okamura, H., Imoto, S., Nakano, T., et al. (2000). Factors correlated with fatigue in disease-free breast cancer patients: Application of the Cancer Fatigue Scale. *Supportive care in cancer*, *8*, 215–222.
- Okuyama, T., Tanaka, K., Akechi, T., Kugaya, A., Okamura, H., Nishiwaki, Y., et al. (2001). Fatigue in ambulatory patients with advanced lung cancer: Prevalence, correlated factors, and screening. *Journal of Pain and Symptom Management*, *22*, 554–564.

Cancer-Related Fatigue Distress Scale

- Holley, S., & Borger, D. (2001). Energy for Living With Cancer®: Preliminary findings of a cancer rehabilitation group intervention study. *Oncology Nursing Forum*, *28*, 1393–1396. [Oncology Nursing Forum](#)
- Holley, S. K. (2000). Evaluating patient distress from cancer-related fatigue: An instrument development study. *Oncology Nursing Forum*, *27*, 1425–1431. [Oncology Nursing Forum](#)

Fatigue Severity Scale (FSS)

- Krupp, L. B., LaRocca, N. G., Muir-Nash, J., & Steinberg, A. D. (1989). The Fatigue Severity Scale. Application to patients with multiple sclerosis and systemic lupus erythematosus. *Archives of Neurology*, *46*, 1121–1123



Winstead-Fry, P. (1998). Psychometric assessment of four fatigue scales with a sample of rural cancer patients. *Journal of Nursing Measurement, 6*(2), 111–122.

Fatigue Symptom Inventory (FSI)

- Hann, D. M., Denniston, M. M., & Baker, F. (2000). Measurement of fatigue in cancer patients: Further validation of the Fatigue Symptom Inventory. *Quality of Life Research, 9*, 847–854.
- Hann, D. M., Jacobsen, P. B., Azzarello, L. M., Martin, S. C., Curran, S. L., Fields, K. K., et al. (1998). Measurement of fatigue in cancer patients: Development and validation of the Fatigue Symptom Inventory. *Quality of Life Research, 7*, 301–310.
- Krupp, L. B., LaRocca, N. G., Muir-Nash, J., & Steinberg, A. D. (1989). The fatigue severity scale. Application to patients with multiple sclerosis and systemic lupus erythematosus. *Archives of Neurology, 46*, 1121–1123.
- Meek, P. M., Nail, L. M., Barsevick, A., Schwartz, A. L., Stephen, S., Whitmer, K., et al. (2000). Psychometric testing of fatigue instruments for use with cancer patients. *Nursing Research, 49*(4), 181–190.
- Mendoza, T. R., Wang, X. S., Cleeland, C. S., Morrissey, M., Johnson, B. A., Wendt, J. K., et al. (1999). The rapid assessment of fatigue severity in cancer patients: Use of the Brief Fatigue Inventory. *Cancer, 85*, 1186–1196.
- Okuyama, T., Wang, X. S., Akechi, T., Mendoza, T. R., Hosaka, T., Cleeland, C. S., & Uchitomi, Y. (2003). Validation study of the Japanese version of the Brief Fatigue Inventory. *Journal of Pain and Symptom Management, 25*, 106–117.
- Radbruch, L., Sabatowski, R., Elsner, F., Everts, J., Mendoza, T., & Cleeland, C. (2003). Validation of the German version of the Brief Fatigue Inventory. *Journal of Pain and Symptom Management, 25*, 449–458.
- Schneider, R. A. (1998). Reliability and validity of the Multidimensional Fatigue Inventory (MFI-20) and the Rhoten Fatigue Scale among rural cancer outpatients. *Cancer Nursing, 21*, 370–373.
- Smets, E. M., Garssen, B., Bonke, B., & De Haes, J. C. (1995). The Multidimensional Fatigue Inventory (MFI) psychometric qualities of an instrument to assess fatigue. *Journal of Psychosomatic Research, 39*, 315–325.
- Stein, K. D., Martin, S. C., Hann, D. M., & Jacobsen, P. B. (1998). A multidimensional measure of fatigue for use with cancer patients. *Cancer Practice, 6*(3), 143–152.
- Winstead-Fry, P. (1998). Psychometric assessment of four fatigue scales with a sample of rural cancer patients. *Journal of Nursing Measurement, 6*(2), 111–122.

Lee Fatigue Scale

- Lee, K. A., Hicks, G., & Nino-Murcia, G. (1991). Validity and reliability of a scale to assess fatigue. *Psychiatry Research, 36*, 291–298



- Meek, P. M., Nail, L. M., Barsevick, A., Schwartz, A. L., Stephen, S., Whitmer, K., et al. (2000). Psychometric testing of fatigue instruments for use with cancer patients. *Nursing Research, 49*, 181–190
- Miaskowski, C., & Lee, K. A. (1999). Pain, fatigue, and sleep disturbances in oncology outpatients receiving radiation therapy for bone metastasis: A pilot study. *Journal of Pain and Symptom Management, 17*, 320–332.
- Winstead-Fry, P. (1998). Psychometric assessment of four fatigue scales with a sample of rural cancer patients. *Journal of Nursing Measurement, 6*, 111–122.

Multidimensional Assessment of Fatigue

- Belza, B. L. (1995). Comparison of self-reported fatigue in rheumatoid arthritis and controls. *Journal of Rheumatology, 22*, 639–643.
- Belza, B. L., Henke, C. J., Yelin, E. H., Epstein, W. V., & Gilliss, C. L. (1993). Correlates of fatigue in older adults with rheumatoid arthritis. *Nursing Research, 42*, 93–99.
- Meek, P. M., Nail, L. M., Barsevick, A., Schwartz, A. L., Stephen, S., Whitmer, K., et al. (2000). Psychometric testing of fatigue instruments for use with cancer patients. *Nursing Research, 49*, 181–190.
- Winstead-Fry, P. (1998). Psychometric assessment of four fatigue scales with a sample of rural cancer patients. *Journal of Nursing Measurement, 6*, 111–122.

Multidimensional Fatigue Inventory (MFI-20)

- Meek, P. M., Nail, L. M., Barsevick, A., Schwartz, A. L., Stephen, S., Whitmer, K., et al. (2000). Psychometric testing of fatigue instruments for use with cancer patients. *Nursing Research, 49*, 181–190.
- Schneider, R. A. (1998). Reliability and validity of the Multidimensional Fatigue Inventory (MFI-20) and the Rhoten Fatigue Scale among rural cancer outpatients. *Cancer Nursing, 21*, 370–373.
- Smets, E. M., Garssen, B., Bonke, B., & De Haes, J. C. (1995). The Multidimensional Fatigue Inventory (MFI) psychometric qualities of an instrument to assess fatigue. *Journal of Psychosomatic Research, 39*, 315–325.

Multidimensional Fatigue Symptom Inventory (MFSI)

- Stein, K. D., Martin, S. C., Hann, D. M., & Jacobsen, P. B. (1998). A multidimensional measure of fatigue for use with cancer patients. *Cancer Practice, 6*, 143–152.

PedsQL

- Varni, J. W., Burwinkle, T. M., Katz, E. R., Meeske, K., & Dickinson, P. (2002). The PedsQL in pediatric cancer: Reliability and validity of the Pediatric Quality of Life Inventory Generic Core Scales, Multidimensional Fatigue Scale, and Cancer Module. *Cancer, 94*, 2090–2106



Piper Fatigue Scale

- Beach, P., Siebeneck, B., Buderer, N.F., & Ferner, T. (2001). Relationship between fatigue and nutritional status in patients receiving radiation therapy to treat lung cancer. *Oncology Nursing Forum*, 28, 1027–1040. [Oncology Nursing Forum](#)
- Berger, A. M. (1998). Patterns of fatigue and activity and rest during adjuvant breast cancer chemotherapy. *Oncology Nursing Forum*, 25, 51–62.
- Berger, A. M., & Higginbortham, P. (2000). Correlates of fatigue during and following adjuvant breast cancer chemotherapy: A pilot study. *Oncology Nursing Forum*, 27, 1443–1448. [Oncology Nursing Forum](#)
- Berger, A. M., VonEssen, S., Kuhn, B. R., Piper, B. F., Farr, L., Agrawal, S., et al. (2003). Adherence, sleep, and fatigue outcomes after adjuvant breast cancer chemotherapy: Results of a feasibility intervention study. *Oncology Nursing Forum*, 30, 513–522. [Oncology Nursing Forum](#)
- Berger, A. M., VonEssen, S., Kuhn, B. R., Piper, B. F., Farr, L., Agrawal, S., et al. (2002). Feasibility of a sleep intervention during adjuvant breast cancer chemotherapy. *Oncology Nursing Forum*, 29, 1431–1441. [Oncology Nursing Forum](#)
- Fu, M. R., Anderson, C. M., McDaniel, R., & Armer, J. (2002). Patients' perceptions of fatigue in response to biochemotherapy for metastatic melanoma: A preliminary study. *Oncology Nursing Forum*, 29, 961–966. [Oncology Nursing Forum](#)
- Mock, V., Dow, K. H., Meares, C. M., Grimm, P. M., Dienemann, J. A., Haisfield-Wolfe, M. E., et al. (1997). Effects of exercise on fatigue, physical functioning, and emotional distress during radiation therapy for breast cancer. *Oncology Nursing Forum*, 24, 991–1000.
- Payne, J. K. (2002). The trajectory of fatigue in adult patients with breast and ovarian cancer receiving chemotherapy. *Oncology Nursing Forum*, 29, 1334–1340. [Oncology Nursing Forum](#)
- Piper, B. F., Dibble, S. L., Dodd, M. J., Weiss, M. C., Slaughter, R. E., & Paul, S. M. (1998) The revised Piper Fatigue Scale: Psychometric evaluation in women with breast cancer. *Oncology Nursing Forum*, 25, 677–684.
- Woo, B., Dibble, S. L., Piper, B. F., Keating, S. B., & Weiss, M. (1998). Difference in fatigue by treatment methods in women with breast cancer. *Oncology Nursing Forum*, 25, 915–920.
- Wu, H., & McSweeney, M. (2001). Measurement of fatigue in people with cancer. *Oncology Nursing Forum*, 28, 1371–1384. [Oncology Nursing Forum](#)

Rhoten Fatigue Scale

- Blesch, K. S., Paice, J. A., Wickham, R., Harte, N., Schnoor, D. K., Purl, S., et al. (1991). Correlates of fatigue in people with breast or lung cancer. *Oncology Nursing Forum*, 18, 81–87.
- Pickard-Holley, S. (1991). Fatigue in cancer patients: A descriptive study. *Cancer Nursing*, 14, 13–19



- Rhoten, D. (1979). Concept clarification of pathophysiological fatigue in the *surgical client*. Unpublished master's thesis, University of Arizona, Tucson.
- Schneider, R. A. (1998). Reliability and validity of the Multidimensional Fatigue Inventory (MFI-20) and the Rhoten Fatigue Scale among rural cancer outpatients. *Cancer Nursing, 21*, 370–373.
- Wu, H., & McSweeney, M. (2001). Measurement of fatigue in people with cancer. *Oncology Nursing Forum, 28*, 1371–1384. [Oncology Nursing Forum](#)

Schwartz Cancer Fatigue Scale

- Schwartz, A. L. (1998). The Schwartz Cancer Fatigue Scale: Testing reliability and validity. *Oncology Nursing Forum, 25*, 711–717.
- Schwartz, A., & Meek, P. (1999). Additional construct validity of the Schwartz Cancer Fatigue Scale. *Journal of Nursing Measurement, 7*(1), 35–45.
- Schwartz, A. L. (2000). Exercise and weight gain in breast cancer patients receiving chemotherapy. *Cancer Practice, 8*, 231–237.
- Schwartz, A. L., Meek, P. M., Nail, L. M., Fargo, J., Lundquist, M., Donofrio, M., et al. (2002). Measurement of fatigue: Determining minimally important clinical differences. *Journal of Clinical Epidemiology, 55*, 239–244.
- Wilkie, D. J., Huang, H. Y., Berry, D. L., Schwartz, A., Lin, Y., Ko, N., et al. (2001). Cancer symptom control: Feasibility of a tailored, interactive computerized program for patients. *Family and Community Health, 24*(3), 48–62.